



Fast Fill & Fast Fueling Systems



Refueling Nozzles



Pit Boss™
N150PB



- All Metal Housing Construction
- Most Economical Nozzle on the Market



SureLoc™
N150SL



- Powder coated all metal construction
- Our most rugged model
- Advanced receiver latching mechanism

Classic™

Classic
N150C



- Rugged All Metal Construction
- Classic finger latching

Bulk Transfer Nozzle
N150B



- Fits Standard 2" Receiver (R150)

Fueler 100
N1501



- 1 1/2"
- Similar to OPW 1290
- High Flow Automatic Shutoff

Consumer Nozzles

Diesel Nozzles 1"



- Bigmouth - Economical Diesel (7H)
- Fuel Master - Higher Flow for truck stops and terminals

Unleaded



- Micro-Flow 2000- Economical (11A/ 11B)
- Micro-Flow 1000 - Precision (1A)

Farm Nozzles



- Automatic nozzles designed for use with small 12 volt and AC utility pumps as well as large farm and consumer pumps

Quick Connect Couplers

CRANKCASE

N100
Nozzle



P100
Nozzle Plug



R100
Receiver



C100
Receiver Cap



N100u
Universal Nozzle
(Can be used with R100 or R100r)



R100JIC
Receiver

COOLANT

N200
Nozzle



P200
Nozzle Plug



R200
Receiver



C200
Receiver Cap



HYDRAULIC

N300
Nozzle



P300
Nozzle Plug



R300
Receiver



C300
Receiver Cap



TRANSMISSION

N400
Nozzle



P400
Nozzle Plug



R400
Receiver



C400
Receiver Cap



Quick Connect "R" Couplers

CRANKCASE

N100r
Nozzle



P100r
Nozzle Plug



R100r
Receiver



C100r
Receiver Cap



COOLANT

N200r
Nozzle



P200r
Nozzle Plug



R200r
Receiver



C200r
Receiver Cap



HYDRAULIC

N300r
Nozzle



P300r
Nozzle Plug



R300r
Receiver



C300r
Receiver Cap



TRANSMISSION

N400r
Nozzle



P400r
Nozzle Plug



R400r
Receiver



C400r
Receiver Cap



Fuel Nozzle Adapters

Rugged Anodized Aluminum Tig Welded



A150B
90°

A150A
Straight

A150C
45°

Oil Sampling

OS100
Oil Sampling Valve
OS100B
Sample Bottles



Fuel Receivers

We offer a complete selection of fueling nozzle receiver options.



R150AL
Aluminum
Anodized



R150S
Nickel Plated Steel
R150SS
Stainless Steel

* Receivers in 7, 9 and 11 pound shutoff
9 pound shutoff is standard



R150CV
Receiver Check Valve
•Easily change fuel
receivers without emptying
tank
•Bolts Behind Standard Fuel
Receiver



C150
Machined
Aluminum
Receiver Cap



C150B
Machined
Aluminum
Receiver Cap



C150P
Plastic
Receiver Cap



G150
Flush Mount Receiver
[Available in weld & bolt-on
styles]



F150
Flush Mount Receiver Plate
[Available in weld &
bolt-on styles]



R150SW
Socket Wrench for Fuel
Receiver Installation
R150CVW
Socket Wrench for Check
Valve Installation



R150S - "Color"
• Color coded fuel
receivers used for preven-
tative maintenance, date or
time tracking

Fuel Vent Series



V150
Standard



V150D
Anti-Vandalism




V150H
High Volume Vent
Flow Rate >200gpm



V150W
Whistle Vent
•15 Second screaming whistle will notify refueler when fuel tank is full

V150A
1/2 Coupling



V150C
NPT Extension



V150B
Flange


V150L6
6" Extension




V150L12
12" Extension




Pressureless Shutoff System




- ELIMINATES**
- Spills and Overfilling
 - Short Filling
 - Fuel Seeping from Vent
 - Split Tanks



- Meets OEM Filtration Requirements
- Does Not Over Pressurize Tank
- Positive Shut Off of Refueling Nozzle
- Can Not Bypass or Override System
- Eliminate Need of Backpressure to Shut Off Refueling Nozzles.
- Retrofits and Replacable in Field
- Meets EC Directive 97/23/EC



- Works with your existing refueling system, no need for additional, expensive retrofits



- Same tech design and technology used on major truck OEM
- Will work on any size, shape, location or material of tank

Hose Swivels



Breakaways
 Seal both sides upon separate dry connect
 3/4", 1", 1 1/2", 2", 3"



Swivels
 3/4"x 3/4", 1"x3/4", 1"x1" 45°, 90°, and limited rotation



Multi Plane Swivels
 • 3/4"x3/4", 1"x3/4", 1"x1"



S125
 1 1/4"



S150
 1 1/2"



S200
 2"


Swivel Breakaways



Service Box

Custom made to your specifications

- Size
- Color
- Configuration



Your Authorized *Fast Fill Systems* Dealer: